WorkForce Pro WF-C869RDTWFC



Save on energy and cut waste with this reliable 4-in-1 business MFP, featuring predictable printing costs and low user intervention.

Print 84,000 pages¹ without any supply changes with this exemplary business printer, using Epson's super-high-yield Replaceable Ink Pack System (RIPS). Cut intervention downtime and lessen your impact on the environment with a reduction of up to 95 percent on energy¹ and 99 percent on waste¹. It also uses PrecisionCore technology, renowned for its speed, quality, reliability and efficiency.

Print 84,000 pages uninterrupted

Thanks to super-high-yield ink supply units, you can print up to 84,000 pages without replacing the ink¹, that's up to 4.5 times more prints than colour lasers and copiers². It cuts intervention time by up to 98 percent² as replacement inks are few and far between.

The best choice

It uses Epson's most advanced printhead designed for business, PrecisionCore. But that's not all; compared to competitive colour lasers it uses up to 95 percent less power² thanks to its no-heat technology. There really is no contest; it also beats lasers and copiers with an up to 99 percent reduction in waste and it's up to 23% quieter than lasers and laser copiers².

Be more productive

Its first page out time is up to three and a half times faster than competitive products². Wait times and the distance to collect print jobs are minimised too as it's a workgroup printer.

DATASHEET / BROCHURE



KEY FEATURES

- Reduce downtime Print up to 84,000 pages without replacing the ink¹
- Ecological Uses up to 95 percent less power than competitive colour lasers²
- Save time Automatic double-sided printing, scanning, copying and faxing
- Built for business Added functionality with software tools such as Epson Open Platform
- PrecisionCore technology Epson's most advanced printhead technology



PRODUCT SPECIFICATIONS

Page memory

Fax Functions

TECHNOLOGY				
Printing Method	PrecisionCore™ Print Head			
Nozzle Configuration	800 Nozzles black, 800 Nozzles per colour			
Minimum Droplet Size	4.6 pl, With Variable-Sized Droplet Technology			
Ink Technology	Replaceable Ink Pack System (RIPS)			
Application	Office Workgroup			
All-in-One Functions	Print, Scan, Copy, Fax			
PRINT				
First Page Out from Ready	Monochrome 6 Seconds, Colour 6 Seconds			
Printing Speed ISO/IEC 24734	4 24 pages/min Monochrome, 24 pages/min Colour			
Duplex Printing Speed ISO/IEC 24734	16 A4 pages/min Monochrome, 16 A4 pages/min Colour			
Printing Speed ISO/IEC 24734	4 13 pages/min Monochrome, 13 pages/min Colour			
(A3)				
Duplex Printing Speed	11 A4 pages/min Monochrome, 11 A4 pages/min Colour			
ISO/IEC 24734 (A3)				
Maximum Printing Speed	35 pages/min Colour (plain paper), 35 pages/min Monochrome (plain paper)			
Printing Resolution	4,800 x 1,200 dpi			
Max Duty cycle	75,000 pages per month			
	The maximum number of printed pages per month based on the performance capabilities of			
	the printer, including ISO rated print speeds and paper handling capabilities.			
Recommended Duty Cycle	2,000 - 10,000 pages per month			
For detailed information on p	rinting speeds please visit http://www.epson.eu/testing.			
SCAN				
	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan			
black)				
Doubled-sided scan speed	200 dpi (with ADF); , 45 ipm with ADF scan			
(A4 black)				
Single-sided scan speed (A4	200 dpi (with ADF); , 25 ipm with ADF scan 200 dpi (flatbed) 4 sec. with flatbed scan			
colour)				
Doubled-sided scan speed	200 dpi (with ADF); , 45 ipm with ADF scan			
(A4 colour)	1 000 dei v 0 400 dei (llevienstel v Vertice))			
Scanning Resolution	1,200 dpi x 2,400 dpi (Horizontal x Vertical)			
Optical Resolution (ADF)	600 dpi x 600 dpi (Horizontal x Vertical)			
Advanced document	E-mail, FTP, Network folders, Computer (Epson Document Capture Pro), Microsoft SharePoint			
integration	with Epson Document Capture Pro, USB Memory Device			
Output formats	JPEG, TIFF, PDF			
Scanner type	Contact image sensor (CIS)			
FAX				
Type of fax	Walk-up black and white and colour fax capability			
Fax Transmission Speed	upto 33.6kbps / Approx. 3 sec/page			
Error correction mode	CCITU/ITU Group3 fax with Error Correction Mode			
Fax speed dials (max)	2,000 names and numbers			
Dama manual .	unto 550 pagao/ 6MP (ITU T No. 1 abort)			

upto 550 pages/ 6MB (ITU-T No. 1 chart)

Book

PC Fax, Fax to E-mail, Memory Reception, Auto Redial, Speed Dial, Fax to Folder, Address

WorkForce Pro WF-C869RDTWFC

WHAT'S IN THE BOX

- Quick Setup Guide
- Main unit
- Warranty Documents
- User manual (CD)
- Power cable
- Paper tray
- Initialization Ink Supply Units



PRODUCT SPECIFICATIONS

WorkForce Pro WF-C869RDTWFC

СОРҮ	
Copy Speed	up to 22 ipm Black, up to 21 ipm Colour
	*Simplex ADF 600 x 600 dpi (ISO/ IEC 24735)
Copy resolution (dpi)	600 x 1200
Reduction / Enlargement	25 % - 400 % Auto fit function
Maximum number of copies	999
Maximum Copy Size	A3
CONNECTIVITY	
Network Printing Protocols	LPR, FTP, IPP, Port 9100, WSD, Net BIOS over TCP/IP, IPPS, PTP over IP, DPS over IP, IS,
	Bonjour/Airprint
Network Management	HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNTP, WSD, LLTD, SMTP, LLMNR, POP3, IEEE
Protocols	802.1X, ARP, GARP, EAP, ICMP, IGMP, DCHP, DNS-SD, HTTPS, XMPP, SMTPS, LDAP,
	LDAPS, SNMP 1.0, SNMP 2.0c, SNMP 3.0, SNMP Trap
Network Scanning Protocols	NetBIOS over TCP/IP, WSD-Scan, Bonjour/Airprint, FTP
Interfaces	Hi-Speed USB - compatible with USB 2.0 specification, Ethernet Interface (1000 Base-T/ 100-
	Base TX/ 10-Base-T), USB host, Wi-Fi Direct, USB 2.0 Type A (2x), Wireless LAN IEEE
	802.11a/b/g/n, USB 3.0 Type B
WLAN Security	WEP 64 Bit, WEP 128 Bit, WPA PSK (TKIP), WPA2 PSK (AES), WPA2 Enterprise (AES)
Network Protocols	TCP, UDP, HTTP, HTTPS, IPv4, IPv6, IPSEC, SSL/TLS
PAPER / MEDIA HANDLING	
Paper Formats	A4, A5, A6, B5, C4 (Envelope), C6 (Envelope), No. 10 (Envelope), Letter, 10 x 15 cm, 13 x 18
	cm, 20 x 25 cm, Legal, A3, B4, B6, C5 (Envelope), DL (Envelope), HLT, EXE, A3+
Automatic Document Feeder	50 pages
Compatible Paper Weight	64 g/m² - 300 g/m²
Duplex	Yes
Standard Paper input	835 Sheets Standard, 85 Sheets MP tray, 750 Sheets paper tray
Output Tray Capacity	250 Sheets
Paper Tray Capacity	835 Sheets Standard, 835 Sheets maximum
Standard paper tray(s)	85-Sheet Multi-Purpose Tray, 250-sheet paper tray, 500-Sheet paper tray, Cabinet
Maximum paper input	835
Rear paper path (special	Yes
media)	
Number of paper trays	3
PAPER FEED RASF	
Paper Input Name	RASF
Paper Formats	A3+, A3, A4, A5, A6, B4, B5, B6, C4 (Envelope), C5 (Envelope), C6 (Envelope), DL (Envelope),
	Letter, 10 x 15 cm, 13 x 18 cm, 16:9, HLT, User defined, Legal, Executive, SRA3
Custom sizes	Min 55x 330 mm to Max 127x 1,200 mm
Compatible paper weight	64 g/m² - 300 g/m²
Paper Capacity 1	85 80gsm
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead, Glossy Photo Paper
PAPER FEED C1	
Paper Input Name	C1
Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, HLT, Legal, Executive
Compatible paper weight	64 g/m² - 200 g/m²
Paper Capacity 1	250 80gsm
	Plain Paper, Recycled Paper, Colour Paper, Letterhead
Media type	
PAPER FEED C2	
	C2
PAPER FEED C2	C2 A3, A4, A5, A6, B4, B5, B6, Letter, Legal, Executive
PAPER FEED C2 Paper Input Name	
PAPER FEED C2 Paper Input Name Paper Formats	A3, A4, A5, A6, B4, B5, B6, Letter, Legal, Executive



PRODUCT SPECIFICATIONS

PAPER FEED DUPLEX				
Paper Input Name	A3, A4, A5, B4, B5, B6, Letter, Legal, Executive			
Paper Formats				
Compatible paper weight				
Paper Capacity 1	80gsm			
Media type	Plain Paper, Recycled Paper, Colour Paper, Letterhead			
GENERAL				
Energy Use	20 W (Ready), 0.5 W (Power off), 40 W (standalone copying, ISO/IEC 24712 pattern), 1.6 W			
	(sleep mode), TEC 0.3 kWh/week			
Supply Voltage	AC 220 V - 240 V			
Compatible Operating	Citrix XenApp 7.x, Linux, Mac OS 10.10.x, Mac OS 10.11, Mac OS 10.6+, Mac OS 10.7.x, Mac			
Systems	OS 10.8.x, Mac OS 10.9.x, Windows XP (Home Edition / Prof / Prof X64 / Vista), SAP, Windows 10, Windows 7, Windows 7 x64, Windows 8 (32/64 bit), Windows 8.1, Windows 8.1 x64 Edition Windows Server 2003 (32/64bit), Windows Server 2008 (32/64bit), Windows Server 2008 R2, Windows Server 2012 (64bit), Windows Server 2012 R2, Windows Vista, Windows Vista (32/64 bit), Windows Vista x64, Windows XP x64, Windows Server 2003 R2			
Sound Power	Operation: 6.4 B (A)			
Sound Pressure	Operation: 48 dB (A)			
Mobile & Cloud printing	Epson Connect (iPrint, Email Print, Remote Print Driver, Scan-to-Cloud), Apple AirPrint,			
services	Google Cloud Print			
Power Supply	220V, 240V			
ADDITIONAL FEATURES				
Features	Touchscreen, Direct scan-to-print without PC, Direct print from USB			
LCD screen	Type: Colour, Touchscreen, Diagonal: 12.7 cm			
Media Handling	Automatic duplex (A4/A3, plain paper), Portrait & Landscape printing, Rear specialty media feed, Thick Media Support			
Security Functions	Limit access function with Epson Web Config, Secure confidential printing with PIN code release, LDAP Address Book, IPsec, IEEE802.1x, SSL (Server authentication), Panel Admin Mode			
OTHER FEATURES				
Emulations	PCL6, PCL5c, PCL5e, ESC/P-R, PDF 1.7, PostScript 3			
OTHER				
• • • • • • • • • • • • • • • • • • • •				
Warranty	12 months On-site service			

SUPPLIES

Business Paper - A4 - 500 Sheets	C13S450075
 Black XL Ink Supply Unit 	C13T973100 22,500 page
 Cyan XL Ink Supply Unit 	C13T973200 22,000 page
 Magenta XL Ink Supply Unit 	C13T973300 22,000 page
 Yellow XL Ink Supply Unit 	C13T973400 22,000 page
 lack XXL Ink Supply Unit 	C13T974100 86,000 page
 Cyan XXL Ink Supply Unit 	C13T974200 84,000 page
 Magenta XXL Ink Supply Unit 	C13T974300 84,000 page
 Yellow XXL Ink Supply Unit 	C13T974400 84,000 page
 Maintenance box 	C13T671400
Optional Cassette Maintenance Roller	C13S210049 200,000 pages
Standard Cassette Maintenance Roller	C13S210048 200,000 pages
 Double-Sided Photo Quality Inkjet Paper - A4 - 50 Sheets 	C13S400059

OPTIONAL ACCESSORIES

Card Reader Holder C12C932921
Retractable output tray C12C934171

LOGISTICS INFORMATION

SKU	C11CF34401BS
EAN code	8715946623184
Layer	1 Units
Layer Block	1 Units

WorkForce Pro WF-C869RDTWFC

INK YIELD DATA				
	Т973	T974		
•	22,500 pages*	86,000 pages*		
	22,000 pages*	84,000 pages*		

* Approx. page yield based on ISO/IEC 24711/24712 or ISO/ IEC 29102/29103. Actual yield will vary depending on images printed and usage conditions. For more information visit http://www.epson.eu/pageyield



For more information please contact:

Home users: 0343 90 37766 Business users*: 0871 42 37766 Republic of Ireland: 01 436 7742 Or visit us at https://www.epson.co.uk/contactus * 10p per minute plus network extras. Web: www.epson.co.uk www.epson.ie Approx. page yield. Actual yield will vary depending on images printed and usage conditions. For more information visit www.epson.eu/pageyield. Initialisation inks only have enough ink to support printer start up, new inks have to be purchased or supplied for normal operation.
 For more information, visit www.epson.eu/inkjetsaving



Trademarks and registered trademarks are the property of Seiko Epson Corporation or their respective owners. Product information is subject to change without prior notice. Last extracted: 2019-08-13